



Embrace life.

WE ARE INSPIRED BY POTENTIAL, OURS AND THAT OF OUR CUSTOMERS. THAT'S WHY WE'VE SPENT THE LAST TWO DECADES DESIGNING AND MANUFACTURING INNOVATIVE SUPPORT PRODUCTS THAT HELP PEOPLE CONTINUE TO LIVE INDEPENDENTLY. WE BELIEVE THAT NOTHING SHOULD KEEP YOU FROM LIVING THE WAY YOU WANT TO LIVE, AND WE'LL CONTINUE TO DEVELOP NEW WAYS TO HELP YOU CONTINUE DOING WHAT YOU LOVE.

OUR PRODUCTS

WE CREATE HOME SAFETY SOLUTIONS FOR EVERY ROOM IN THE HOUSE. WHETHER IT'S OUR SUPERPOLE, WHICH CAN BE INSTALLED BETWEEN ANY FLOOR AND CEILING, OR OUR DEPENDABAR, WHICH IS SPECIALLY DESIGNED FOR USE IN THE BATHROOM, HEALTHCRAFT PRODUCTS HELP YOU GET TO WHERE YOU NEED TO GO.



SUPERPOLE

When it comes to innovative and adaptable home safety products that can be used anywhere in the house, the SuperPole is the industry leader. The SuperPole is a safety pole that can be easily installed between any floor and ceiling by simply turning a jackscrew.

The pressure created by the jackscrew is strong enough to support you, yet it does not typically require drilling holes into the floor or ceiling. This is ideal for relocating or removing the pole.

Also, it features a grip that provides comfort and an improved surface to grab onto. All this functionality is contained in a clean, modern design that blends into any room.

SPECS

Pole Diameter: 1.50"/38.1mm | **Floor to Ceiling Range:** 93-99"/2362-2515mm (fits 8'/244cm ceilings)

Weight Capacity: 300lbs/136kgs or 450lbs/204kgs



SUPERPOLE INSTALLATION ACCESSORIES

Floor to ceiling range can be expanded with Uni-Fit Extender or SuperPole Ultra. See page 21.

**Install
Yourself**



Install
Yourself



SUPERBAR

With the simple addition of the SuperBar, the SuperPole transforms into an even more versatile product with both horizontal and vertical support.

Additionally, with 8 locking positions around the SuperPole (one every 45 degrees), you can stay closer to your support as you move. Push, pull, or lean on the horizontal SuperBar – it offers support that is tailored to your needs.

SPECS

Bar Length: 16" / 406mm | **Bar Locking Positions:** 8 (every 45 degrees) | **Weight Capacity:** 300lbs/136kgs or 450lbs/204kgs
Bar is height adjustable at time of installation.



ADVANTAGE RAIL

The Advantage Rail is a floor mounted support rail that features our innovative pivot and lock technology for improved versatility and stability.

Featuring 8 different locking positions (one at every 45 degrees), the Advantage Rail is the perfect solution for getting where you need to go in rooms that will not accommodate a floor to ceiling support pole.

SPECS

Rail Length: 17" / 432mm | **Rail Locking Positions:** 8 (every 45 degrees) | **Bar Height Range:** 30–38" / 762–965mm
Weight Capacity: 350lbs/136kgs or 450lbs/204kgs



INSTALLATION OPTION — PORTABLE ADVANTAGE RAIL

Each portable model secures and releases from a low profile floor mounted plate. Simply remove rail/pole when it is not needed.


EASY MOUNT GRAB BARS

Easy Mount Grab Bars provide secure support to assist you in any room in your house. While other bars have standard three hole flanges, the Easy Mount Grab Bar has 9-holes, which means greater versatility during installation.

The extra holes provide mounting options for angled grab bar installations, and for areas where stud spacing may vary from 16" centers. It is easy to add an additional mounting screw for peace of mind. Flange covers conceal the screws for a simple and modern finish.

SPECS

Rail Diameter: 1.25" / 31.8mm | **Wall Clearance:** 1.50" / 38.1mm | **Material:** Stainless Steel | **Finish:** White, Chrome Polish or Knurled | **Length:** 12" / 305mm (12), 18" / 457mm (18), 24" / 610mm (24), 32" / 813mm (32), 36" / 914mm (36), 42" / 1067mm (42) | **Weight Capacity:** 500lbs / 227kgs (12, 18 and 24), 400lbs / 181kgs (32, 36, 42)



**Contractor
Recommended**



Options for floor to ceiling ranges over
8 feet/244cm

UNI-FIT EXTENDER

Increases SuperPole floor to ceiling range from
93-99" / 2362-2515mm to 99-120" / 2515-3048mm.

Weight Capacity: 300lbs/136kgs


*Not to be used with SuperTrapeze, SuperPole HD, or SuperPole Ultra.

SUPERPOLE ULTRA

A longer version of the SuperPole with a floor to ceiling
range from 120-140" / 3048-3556mm.

Weight Capacity: 300lbs/136kgs

*Not to be used with SuperBar, SuperTrapeze, Uni-Fit Extender,
and Angled Ceiling Plate.



CEILING PLATE EXTENDER

Allows standard ceiling plate 20" / 508mm length to
span 30" / 762mm with holes for ceiling attachment to
24" / 610mm ceiling beam centers.

ANGLED CEILING PLATE

Installs to ceilings angled between 0-45 degrees. Plate diameter
is 18" / 457mm.

*Not to be used with SuperTrapeze, SuperPole HD, or Ceiling Plate Extender.





2790 Fenton Road
Ottawa CANADA
KIT 3T7

T: 613-822-1885
F: 613-822-1886
TF: 888-619-9992

healthcraftproducts.com
E: info@healthcraftproducts.com